


United States Patent & Trademark Office
Office of Initial Patent Examination -- Scanning Division



SCANNED, # 24

Application deficiencies found during scanning:

☒ Page(s) _____ of Ehansnittel were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ *Scanned copy is best available.*

United States Patent & Trademark Office
Office of Initial Patent Examination

Application papers not suitable for publication

SN 09/991-798 Mail Date 11-26-01

- ☐ Non-English Specification
- ☐ Specification contains drawing(s) on page(s) _____ or table(s) _____
- ☐ Landscape orientation of text ☐ Specification ☐ Claims ☐ Abstract
- ☐ Handwritten ☐ Specification ☐ Claims ☐ Abstract
- ☐ More than one column ☐ Specification ☐ Claims ☐ Abstract
- ☐ Improper line spacing ☐ Specification ☐ Claims ☐ Abstract
- ☒ Claims not on separate page(s)
- ☐ Abstract not on separate page(s)
- ☐ Improper paper size -- Must be either A4 (21 cm x 29.7 cm) or 8-1/2"x 11"
- ☐ Specification page(s) _____ ☐ Abstract
- ☐ Drawing page(s) _____ ☐ Claim(s)
- ☐ Improper margins
- ☐ Specification page(s) _____ ☐ Abstract
- ☐ Drawing page(s) _____ ☐ Claim(s)
- ☐ Not reproducible Section
- Reason ☐ Specification page(s) _____
- ☐ Paper too thin ☐ Drawing page(s) _____
- ☐ Glossy pages ☐ Abstract
- ☐ Non-white background ☐ Claim(s)
- ☐ Drawing objection(s)
- ☐ Missing lead lines, drawing(s) _____
- ☐ Line quality is too light, drawing(s) _____
- ☐ More than 1 drawing and not numbered correctly
- ☐ Non-English text, drawing(s) _____
- ☐ Excessive text, drawing(s) _____
- ☐ Photographs capable of illustration, drawing(s) _____

SCANNED, # 24